

Forest Stewardship Council®



High Conservation Value Frameworks Template

FSC-GUI-60 009a V1-0 D1-2 EN



Title: FSC-GUI-30-009a V1-0 D1-2 EN

Document reference

code:

FSC-GUI-30-009a V1-0 D1-2 EN

Approval body: FSC Board of Directors

Contact for comments: FSC International Center

- Policy and Standards Unit -

Charles-de-Gaulle-Str. 5 53113 Bonn, Germany

+49-(0)228-36766-0



+49-(0)228-36766-30



policy.standards@fsc.org

© 2017 Forest Stewardship Council, A.C. All rights reserved.

No part of this work covered by the publisher's copyright may be reproduced or copied in any form or by any means (graphic, electronic or mechanical, including photocopying, recording, recording taping, or information retrieval systems) without the written permission of the publisher.

Printed copies of this document are for reference only. Please refer to the electronic copy on the FSC website (ic.fsc.org) to ensure you are referring to the latest version.

High Conservation Value Frameworks Template

FSC-GUI-60 009a V1-0 D1-2 EN

The Forest Stewardship Council® (FSC) is an independent, not for profit, non-government organization established to support environmentally appropriate, socially beneficial, and economically viable management of the world's forests.

FSC's vision is where the world's forests meet the social, ecological, and economic rights and needs of the present generation without compromising those of future generations.

High Conservation Value Frameworks Template

Section 1. Cover Page

[Add fillable form for basic information: name, dates, authors, etc.]

Section 2. Introduction

The objective of this High Conservation Value (HCV) Framework is to provide nationally specific interpretations of HCVs and *Best Available Information** for identifying, assessing, managing and monitoring HCVs.

This National HCV Framework is to be used by Standards Development Groups to produce National HCV Frameworks.

The HCV interpretations and *Best Available Information** provided in this Framework are not exhaustive; additional examples of HCV occurrences may exist at the regional and forest management unit scale.

Specific sections of this Framework are also applicable to National and Centralized National Risk Assessments for Controlled Wood, and to Certificate Holders seeking certification under FSC-STD-30-010 and FSC-STD-40-005. The applicable sections are: The Interpretations and Best Available Information for each HCV category and the Best Available Information for Assessments for each HCV category.

Instructions for Standard Development Groups:

- 1. When preparing HCV Frameworks, Standard Development Groups (SDGs) shall consult the Guidance for Standards Development Groups: Developing National High Conservation Value Frameworks.
- 2. SDGs shall provide Best Information Sources for small, medium and large organizations, according to thresholds established at the national or regional scale.
- 3. Once the Framework has been completed, this Instruction Box shall be deleted.

Section 3. HCV 1 – Species diversity. Concentrations of *biological diversity** including endemic species, and *rare**, *threatened** or endangered species, that are *significant** at global, regional or national levels

A. Interpretations and Best Available Information* for HCV 1

Concentrations of biological diversity* that are significant* at global, regional, or national levels:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	Best Available Information* for identifying multiple interpretations of this HCV element:		BAI Medium	BAI Large
(Add rows as needed)				

Concentrations of endemic species that are significant* at global, regional, or national levels:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large

(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Concentrations of rare,* threatened,* or endangered species that are significant* at global, regional, or national levels:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

B. Assessments for HCV 1

National or regionally appropriate methodologies and *Best Available Information** for assessments for HCV 1:

National or regional methodologies for assessing occurrences of specific HCV 1 interpretations:	Best Available Information* for assessing occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for assessing occurrences of multiple interpretations:	Best Available Information* for assessing occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

C. Strategies for Maintaining and Enhancing HCV 1

Management strategies for HCV 1:

National or regional strategies for maintaining and/or enhancing specific HCV 1 interpretations:	Best Available Information* for management strategies for these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional strategies for maintaining	Best Available Information* for	BAI	BAI	BAI

and/or enhancing multiple interpretations:	management strategies for multiple interpretations:	Small	Medium	Large
(Add rows as needed)				

D. Monitoring for HCV 1

Methodologies and *Best Available Information** for monitoring programs for HCV 1:

National or regional methodologies for monitoring occurrences of specific HCV 1 interpretations:	Best Available Information* for monitoring occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for monitoring occurrences of multiple interpretations:	Best Available Information* for monitoring occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Section 4. HCV 2 – Landscape*-level ecosystems* and mosaics. Intact forest landscapes and large landscape*-level ecosystems* and ecosystem* mosaics that are significant* at global, regional or national levels, and that contain viable populations of the great majority of the naturally occurring species in natural patterns of distribution and abundance.

A. Interpretations and Best Available Information* for HCV 2

Intact forest landscapes*:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add raws as readed)				
(Add rows as needed)		BAI		
Best Available Information* for identifying multiple	Best Available Information* for identifying multiple interpretations of this HCV element:		BAI Medium	BAI Large
				· ·
(Add rows as needed)				

Large landscape*-level ecosystems* that are significant* at global, regional or national levels, and that contain viable populations of the great majority of the naturally occurring species in natural patterns of distribution and abundance:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	Best Available Information* for identifying multiple interpretations of this HCV element:		BAI Medium	BAI Large
(Add rows as needed)				

Ecosystem* mosaics that are significant* at global, regional or national levels, and that contain viable populations of the great majority of the naturally occurring species in natural patterns of distribution and abundance:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed) Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large

(Add rows as needed)		

B. Assessments for HCV 2

National or regionally appropriate methodologies and Best Available Information* for assessments for HCV 2:

National or regional methodologies for assessing occurrences of specific HCV 2 interpretations:	Best Available Information* for assessing occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for assessing occurrences of multiple interpretations:	Best Available Information* for assessing occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

C: Strategies for Maintaining and Enhancing HCV 2

Management strategies for HCV 2:

National or regional strategies for maintaining	Best Available Information* for	BAI	BAI	BAI
and/or enhancing specific HCV 2 interpretations:	management strategies for these	Small	Medium	Large

	interpretations:			
(Add rows as needed)				
National or regional strategies for maintaining and/or enhancing multiple interpretations:	Best Available Information* for management strategies for multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

D. Monitoring for HCV 2

Methodologies and Best Available Information* for monitoring programs for HCV 2:

Best Available Information* for monitoring occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
Best Available Information* for monitoring occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
	monitoring occurrences of these interpretations: Best Available Information* for monitoring occurrences of multiple	monitoring occurrences of these interpretations: Best Available Information* for monitoring occurrences of multiple Small	monitoring occurrences of these interpretations: Best Available Information* for monitoring occurrences of multiple BAI Medium

(Add rows as needed)		

Section 5. HCV 3 – Ecosystems* and habitats*. Rare*, threatened*, or endangered ecosystems*, habitats* or refugia*.

A. Interpretations and *Best Available Information** for HCV 3

Rare*, threatened*, or endangered ecosystems*:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple interpretations of this HCV element:		BAI Small	BAI Medium	BAI Large

$\langle A, L, L, A, A,$		
(Add rows as needed)		
(riad rono de riodded)		

Rare*, threatened*, or endangered habitats*:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Refugia*:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI	BAI	BAI

	Small	Medium	Large
(Add rows as needed)			

B. Assessments for HCV 3

National or regionally appropriate methodologies and Best Available Information* for assessments for HCV 3:

National or regional methodologies for assessing occurrences of specific HCV 3 interpretations:	Best Available Information* for assessing occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for assessing occurrences of multiple interpretations:	Best Available Information* for assessing occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rown on nooded)				
(Add rows as needed)				

C: Strategies for Maintaining and Enhancing HCV 3

Management strategies for HCV 3:

National or regional strategies for maintaining and/or enhancing specific HCV 3 interpretations:	Best Available Information* for management strategies for these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional strategies for maintaining and/or enhancing multiple interpretations:	Best Available Information* for management strategies for multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
(Add rows as needed)				

D. Monitoring for HCV 3

Methodologies and Best Available Information* for monitoring programs for HCV 3:

National or regional methodologies for monitoring occurrences of specific HCV 3 interpretations:	Best Available Information* for monitoring occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for monitoring	Best Available Information* for	BAI	BAI	BAI

occurrences of multiple interpretations:	monitoring occurrences of multiple interpretations:	Small	Medium	Large
(Add rows as needed)				

Section 6. HCV 4 – *Critical** ecosystem services*. Basic ecosystem services* in *critical** situations, including protection* of water catchments and control of erosion of vulnerable soils and slopes.

A. Interpretations and Best Available Information* for HCV 4

Water catchments in *critical** situations:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Best Available Information* for identifying multiple interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)			

Control of erosion of vulnerable soils and slopes in *critical** situations:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add raws as pooded)				
(Add rows as needed)				

Other ecosystem services* in critical* situations:

National or regional interpretations of this HCV	Best Available Information* for	BAI	BAI	BAI
element:	identifying occurrences of this	Small	Medium	Large
	interpretation:			

(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

B. Assessments for HCV 4

National or regionally appropriate methodologies and *Best Available Information** for assessments for HCV 4:

National or regional methodologies for assessing occurrences of specific HCV 4 interpretations:	Best Available Information* for assessing occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for assessing occurrences of multiple interpretations:	Best Available Information* for assessing occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large

(Add rows as needed)		

C: Strategies for Maintaining and Enhancing HCV 4

Management strategies for HCV 4:

National or regional strategies for maintaining and/or enhancing specific HCV 4 interpretations:	Best Available Information* for management strategies for these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional strategies for maintaining and/or enhancing multiple interpretations:	Best Available Information* for management strategies for multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
(Aud Tows as Heeded)				

D. Monitoring for HCV 4

Methodologies and Best Available Information* for monitoring programs for HCV 4:

monitoring occurrences of these	BAI Small	BAI Medium	BAI Large
interpretations:			

(Add rows as needed)				
National or regional methodologies for monitoring occurrences of multiple interpretations:	Best Available Information* for monitoring occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Section 7. HCV 5 – Community needs. Sites and resources fundamental for satisfying the basic necessities of *local communities** or *Indigenous Peoples** (for livelihoods, health, nutrition, water, etc.), identified through *engagement** with these communities or Indigenous Peoples.

A. Interpretations and *Best Available Information** for HCV 5

Sites and resources fundamental for satisfying the basic necessities of *local communities** (for livelihoods, health, nutrition, water, etc.):

National or regional interpretations of this HCV	Best Available Information* for	BAI	BAI	BAI
element:	identifying occurrences of this	Small	Medium	Large

	interpretation:			
(Add rows as needed)				
Best Available Information* for identifying multiple interpretations of this HCV element:		BAI	BAI	BAI
		Small	Medium	Large
Primary BAI: Engagement with local communities.				
Secondary BAI:				
(Add rows as needed)				

Sites and resources fundamental for satisfying the basic necessities of *Indigenous Peoples** (for livelihoods, health, nutrition, water, etc.):

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
Primary BAI: Engagement with Indigenous Peoples.				
Secondary BAI:				

(Add rows as needed)		

B. Assessments for HCV 5

National or regionally appropriate methodologies and Best Available Information* for assessments for HCV 5:

National or regional methodologies for assessing occurrences of specific HCV 5 interpretations:	Best Available Information* for assessing occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for assessing occurrences of multiple interpretations:	Best Available Information* for assessing occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large
	Primary BAI: Engagement with local communities and Indigenous Peoples.			
	Secondary BAI:			
(Add rows as needed)				

C: Strategies for Maintaining and Enhancing HCV 5

Management strategies for HCV 5:

National or regional strategies for maintaining	Best Available Information* for	BAI	BAI	BAI
and/or enhancing specific HCV 5 interpretations:	management strategies for these	Small	Medium	Large
	interpretations:			

(Add rows as needed)				
National or regional strategies for maintaining and/or enhancing multiple interpretations:	Best Available Information* for management strategies for multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

D. Monitoring for HCV 5

Methodologies and *Best Available Information** for monitoring programs for HCV 5:

National or regional methodologies for monitoring occurrences of specific HCV 5 interpretations:	Best Available Information* for monitoring occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for monitoring occurrences of multiple interpretations:	Best Available Information* for monitoring occurrences of multiple interpretations:	BAI Small	BAI Medium	BAI Large

(Add rows as needed)		

Section 8. HCV 6 – Cultural values. Sites, resources, *habitats** and *landscapes** of global or national cultural, archaeological or historical significance, and/or of *critical** cultural, ecological, economic or religious/sacred importance for the traditional cultures of *local communities** or Indigenous Peoples, identified through *engagement** with these *local communities** or Indigenous Peoples.

A. Interpretations and Best Available Information* for HCV 6

Sites, resources, habitats* and landscapes* of global or national cultural, archaeological or historical significance:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(4.11)				
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				

Sites, resources, *habitats** and *landscapes** of *critical** cultural, ecological, economic or religious/sacred importance for the traditional cultures of *local communities**:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI Small	BAI Medium	BAI Large
Primary BAI: Engagement with local communities.				
Secondary BAI:				
(Add rows as needed)				

Sites, resources, *habitats** and *landscapes** of of *critical** cultural, ecological, economic or religious/sacred importance for the traditional cultures of Indigenous Peoples:

National or regional interpretations of this HCV element:	Best Available Information* for identifying occurrences of this interpretation:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
Best Available Information* for identifying multiple	interpretations of this HCV element:	BAI	BAI	BAI

	Small	Medium	Large
Primary BAI: Engagement with Indigenous Peoples.			
Secondary BAI:			
(Add rows as needed)			

B. Assessments for HCV 6

National or regionally appropriate methodologies and Best Available Information* for assessments for HCV 6:

National or regional methodologies for assessing occurrences of specific HCV 6 interpretations:	Best Available Information* for assessing	BAI SLIMF	BAI
occurrences of specific HCV 6 interpretations:	occurrences of these interpretations:	SLIMIF	Standard
(Add rows as needed)			
National or regional methodologies for assessing	Best Available Information* for assessing	BAI	BAI
occurrences of multiple interpretations:	occurrences of multiple interpretations:	SLIMF	Standard
	Primary BAI: Engagement with local		
	communities and Indigenous Peoples.		
	Secondary BAI:		
(Add rows as needed)			

C: Strategies for Maintaining and Enhancing HCV 6

Management strategies for HCV 6:

National or regional strategies for maintaining and/or enhancing specific HCV 6 interpretations:	Best Available Information* for management strategies for these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional strategies for maintaining and/or enhancing multiple interpretations:	Best Available Information* for management strategies for multiple interpretations:	BAI Small	BAI Medium	BAI Large
(Add rown on nooded)				
(Add rows as needed)				

D. Monitoring for HCV 6

Methodologies and Best Available Information* for monitoring programs for HCV 6:

National or regional methodologies for monitoring occurrences of specific HCV 6 interpretations:	Best Available Information* for monitoring occurrences of these interpretations:	BAI Small	BAI Medium	BAI Large
(Add rows as needed)				
National or regional methodologies for monitoring	Best Available Information* for	BAI	BAI	BAI

occurrences of multiple interpretations:	monitoring occurrences of multiple interpretations:	Small	Medium	Large
(Add rows as needed)				

Section 9. References



Forest Stewardship Council®

ic.fsc.org

FSC International Center GmbH Charles-de-Gaulle-Straße $5\cdot 53113$ Bonn \cdot Germany



All Rights Reserved FSC® International 2015 FSC® F000100